

## NEWS RELEASE

### **Roscan Gold Intersects 3.5gpt over 17m in Fresh Rock at MS3 and 3.31gpt gold over 16m at MS1 as Sulphide Zone Broadens at Depth**

Toronto, Ontario. – August 17, 2021 – Roscan Gold Corporation (“Roscan” or the “Company”) (TSX-V: ROS; FSE:2OJ; OTC:RCGCF) is pleased to announce positive results (Figure 1) from an additional 17 DD and RC holes totaling 2,956 meters (m) at our Southern Mankouke Zone (MS1 and MS3).

These results continue to confirm that mineralization is open at depth in fresh rock at MS1 with a broader zone. In addition, drilling at MS3 continues to expand the footprint to a mineralization envelope size that is now at 300m E-W, 200m N-S, and 10 to 40m width. More importantly, it appears that a consistent high-grade zone has been traced to a vertical depth of 120m, ended in fresh rock and remains open.

#### **Drilling Highlights:**

##### **Mankouke Discovery Zone (MS3)**

- **3.53 gpt gold over 17m from drill hole RCMAN21-55 from 121m**
- **4.06 gpt gold over 5m from drill hole RCMAN21-51 from 67m**
  - **and 2.79 gpt gold over 11m from 73m**
- **4.43 gpt gold over 5m from drill hole RCMAN21-48 from 42m**

##### **Mankouke Discovery Zone (MS1)**

- **3.31 gpt gold over 16m from drill hole DDMAN21-116 from 258.4m**
  - **Including 11.97 gpt gold over 3m from 260.4m**
  - **and 1.48 gpt gold over 12m from 284.4m**
- **11.03 gpt gold over 3m from drill hole DDMAN21-114 from 126.5m**
  - **and 3.21 gpt gold over 5m from 155.5m**
- **3.43 gpt gold over 9m from drill hole DDMAN21-112 from 141.5m**
  - **Including 5.84 gpt gold over 4m from 141.5m**

Notes: 1: True width yet to be determined, 2: Table 1 – Assay Highlights, 3: 0.5gpt used as cut-off with 4m internal dilution for drill holes, and 4: No top-cut.

---

### **Mankouke Discovery Zone (MS3) – Potential High-Grade Extension at Depth to the East**

At MS3, the mineralization is close to surface and commences in the saprolite. The gold envelope shows a folded shape with dimensions of 300 m E-W, 200 m N-S, and 10 to 40m width.

The mineralization is open to the West, North, and East, while toward the South, it could be seen as an extension of MS1 displaced by a fault. The East fold limb displays a good consistency with significant high-grade intercepts (DDMan20-59 with 20m @ 3gpt, RCMan21-22B with 17m @ 3.3 gpt and RCMan21-55 with 17m @ 3.53 gpt). There is also a felsic intrusive occurrence that can be traced to a depth of 200m vertical. We note that this unit can also be mineralized as it evidenced at MS1 and has yet to be fully tested in MS3.

### **Main Mankouke South Zone (MS1) – Mineralization Continues to Open at Depth**

At MS1, the last diamond drill holes continue to show good continuity at depth and laterally in the sulfide fresh rock. Drill Hole DDMAN21-116 with 16m @ 3.31 gpt, located 100m North from DDMAN21-104B (with 25m @ 2.02 gpt - see July 6th, 2021 Press Release), shows the wide broadening of the sulphide at depth at consistent high grade, which remains open and has yet to be tested.

The mineralization is strongly associated with the alteration mainly albite-carbonate-silicification, pyrite-arsenopyrite assemblage and often with the occurrences of quartz veins and veinlets network but also fractured rock.

The mineralization envelope fits very well in the alteration halo wireframe. These diamond holes also show that the felsic intrusion played an important role during the mineralization by hydrothermal gold mobilization or remobilization. Gold is in the sedimentary package at the top and limited by the footwall, which is carbonaceous bedded mudstone, in discordance with the gold-bearing folded clastic-limestone sequence.

The gold mineralization is open at depth and laterally, following the felsic intrusive toward the North and the South which fortunately crosses the barren footwall, allowing the mineralization to extend deeper.

### **Nana Sangmuah, President and CEO, stated,**

*“We continue to be very excited as the mineralization of our Mankouke South flagship continues to expand, now with the doubling of the MS3 footprint, which remains open to the West-East and at depth.*

*At MS1, we are also very pleased by the broadening of the sulphide zone at depth with consistent high-grade intercepts, pointing to the feeder zone opening up at depth.*

*We expect a busy 2nd half of 2021 with a further 20,000m of assays to come from our Mankouke West, Mankouke South, Mankouke Centre, Kabaya KB4, Dabia South and Moussala MOU1 targets in addition to delivering our maiden resource estimate by year end”.*




Figure 1: Cross Section Depicting Depth Extension with DDMan21-116 at MS1




Figure 2: Cross Section Depicting East Extension at MS3 – RCMa21-55

## Geology

The gold mineralization at Mankouke South is located approximately 25km east of the Fekola mine (B2Gold Corp.), but also along a prospective major NE-SW structural corridor from Siribaya-Diaka (IAMGOLD Corporation) to Seko (Oklo Resources Limited). Gold mineralization in Mankouke South occurs within hydrothermally altered and sheared metasediments of the Kofi formation which include greywacke, limestone and diamictite but also in the edge of a felsic intrusive cross cutting the sedimentary package.

The Mankouke South mineralization is located within the sheared eastern limb of a fold directly above a footwall unit of finely banded and alternating graphitic shale and limestone referred to as the dirty carbonaceous mudstone. The border north of the mineralization corresponds with the edge of a NE-SW conductive zone from the geophysics surveys but MS3 also overlays the beginning of a Nord East conductive lineament. The gold mineralization is associated with a strong alteration over several lithologies, mainly albite, silicification, ankerite and chlorite, with the sulfite occurrences (pyrite, arsenopyrite) but also fracturing and quartz veins and veinlets.



Figure 3: Drill Core Photo DDMan21-116 showing high grade sections mineralization in the altered felsic intrusive at MS1.

## Drilling Contract and Analytical Protocol

Roscan uses Air Core (AC), Reverse Circulation (RC) and Diamond (DDH) types of drilling in the Kandiole Projects. The Air Core drilling is mainly applied to drill early exploration targets.

The samples are sent for preparation to the Bureau Veritas Mineral Laboratories in Bamako, Mali and assayed at their analytical facilities for fire assay with atomic absorption finish and by gravimetric finish for grades above 10gpt Au.

Table 1: Drillhole Highlights at Mankouke (August 16<sup>th</sup>, 2021)

Hole ID	From (m)	To (m)	Interval (m)	gpt Au	Comment
<b>DDHMan21-112</b>	126.5	134.5	8	1.40	Saprock
including	132.5	133.5	1	3.54	Saprock
	141.5	150.5	9	3.42	Saprock
including	141.5	145.5	4	5.84	Saprock
	160.5	161.5	1	0.66	Saprock
	168.5	169.5	1	0.73	Saprock
	172.5	174.5	2	0.87	Fresh Rock
	189.4	192.4	3	0.57	Fresh Rock
<b>DDHMan21-114</b>	6.5	15.5	9	0.90	Laterite
including	8.5	9.5	1	2.16	Laterite
including	14.5	15.5	1	2.45	Mottled zone
	21.5	22.5	1	0.52	Saprolite
	52.5	53.5	1	1.01	Saprolite
	71.5	74.5	3	2.34	Saprolite
	79.5	81.5	2	1.07	Saprock
	97.5	102.5	5	0.90	Saprolite
	107.5	111.5	4	0.54	Saprolite
	121.5	122.5	1	1.88	Saprolite
	126.5	129.5	3	11.03	Saprolite
	136.5	142.5	6	3.95	Saprolite
	150.2	152.5	2.3	0.98	Saprolite
	155.5	160.5	5	3.21	Saprolite
including	155.5	156.5	1	6.51	Saprolite
	170.5	171.5	1	2.04	Saprolite
	178.5	179.5	1	0.78	Saprolite
<b>DDHMan21-116</b>	18.6	19.6	1	3.67	Saprolite
	243.4	246.4	3	1.22	Fresh Rock
	251.4	253.4	2	1.70	Fresh Rock

	258.4	274.4	16	3.31	Fresh Rock
including	260.4	263.4	3	11.97	Fresh Rock
	280.4	281.4	1	2.65	Fresh Rock
	284.4	296.4	12	1.48	Fresh Rock
including	287.4	288.4	1	5.39	Fresh Rock
<b>DDHMan21-117</b>	28.6	36.6	8	1.95	Saprolite
including	34.6	35.6	1	6.41	Saprolite
	40.6	44.6	4	0.49	Saprolite
	341.7	347.7	6	1.13	Fresh Rock
	396.7	403.7	7	0.57	Fresh Rock
	429.7	430.7	1	1.00	Fresh Rock
<b>RCMan21-38</b>	47.0	48.0	1	1.57	Saprolite
<b>RCMan21-43</b>	17.0	22.0	5	2.19	Saprolite
	25.0	26.0	1	1.46	Saprolite
<b>RCMan21-44</b>	9.0	10.0	1	0.80	Laterite
	16.0	17.0	1	0.88	Saprolite
	57.0	60.0	3	1.83	Saprolite
<b>RCMan21-45</b>	10.0	13.0	3	0.62	Laterite - Saprolite
	16.0	19.0	3	1.64	Saprolite
including	17.0	18.0	1	3.51	Saprolite
	26.0	28.0	2	3.07	Saprolite
<b>RCMan21-47</b>	1.0	2.0	1	0.54	Laterite
	12.0	17.0	5	1.16	Saprolite
<b>RCMan21-48</b>	19.0	21.0	2	2.27	Saprolite
	32.0	33.0	1	0.65	Saprolite
	38.0	41.0	3	1.55	Saprolite
	42.0	47.0	5	4.43	Saprolite
	52.0	53.0	1	1.07	Saprolite
	61.0	65.0	4	0.95	Saprolite
<b>RCMan21-49</b>	17.0	18.0	1	5.04	Saprolite
	23.0	24.0	1	1.00	Saprolite
	71.0	82.0	11	0.80	Fresh Rock
including	71.0	72.0	1	2.29	Fresh Rock
	111.0	113.0	2	1.54	Fresh Rock
	130.0	131.0	1	0.85	Fresh Rock
<b>RCMan21-50</b>	92.0	93.0	1	1.29	Fresh Rock
	111.0	112.0	1	3.39	Fresh Rock
	128.0	129.0	1	1.32	Fresh Rock
<b>RCMan21-51</b>	23.0	24.0	1	1.34	Saprolite

	57.0	58.0	1	0.74	Saprolite
	63.0	66.0	3	2.08	Saprolite
	67.0	72.0	5	4.06	Saprolite
including	68.0	69.0	1	8.75	Saprolite
	73.0	84.0	11	2.79	Saprolite
including	75.0	76.0	1	7.19	Saprolite
including	83.0	84.0	1	6.00	Saprolite
	85.0	91.0	6	0.61	Saprolite
<b>RCMan21-52</b>	103.0	104.0	1	0.87	Fresh Rock
	113.0	114.0	1	0.77	Fresh Rock
	124.0	126.0	2	0.88	Fresh Rock
<b>RCMan21-53</b>	78.0	79.0	1	0.91	Fresh Rock
	148.0	149.0	1	0.50	Fresh Rock
<b>RCMan21-54</b>	41.0	42.0	1	0.75	Saprolite
	54.0	55.0	1	0.66	Saprolite
	67.0	69.0	2	1.08	Fresh Rock
<b>RCMan21-55</b>	108.0	110.0	2	2.47	Fresh Rock
	121.0	138.0	17	3.53	Fresh Rock
including	122.0	123.0	1	12.00	Fresh Rock
including	126.0	127.0	1	8.84	Fresh Rock
including	131.0	132.0	1	7.24	Fresh Rock

Table 2: Drillhole ID at Mankouke (August 16<sup>th</sup>, 2021)

Hole ID	X Collar	Y Collar	Z collar	Section	AZM	DIP	EOH
<b>DDHMan21-110 (*)</b>	262025	1375751	161	1375750	90	-50	88.3
<b>DDHMan21-111 (*)</b>	262198	1375801	179	1375800	90	-50	186.2
<b>DDHMan21-112</b>	262494	1375850	187	1375850	90	-50	260.4
<b>DDHMan21-113 (*)</b>	262171	1375760	167	1375760	90	-50	155.4
<b>DDHMan21-114</b>	262643	1376000	171	1376000	90	-60	204.0
<b>DDHMan21-115 (*)</b>	262525	1376002	187	1376000	90	-50	251.8
<b>DDHMan21-116</b>	262360	1375850	179	1375850	90	-50	401.4
<b>DDHMan21-117</b>	262228	1375751	173	1375750	90	-50	470.7
<b>RCMan21-38</b>	262475	1376050	174	1376050	270	-50	120.0
<b>RCMan21-39 (*)</b>	262350	1376050	205	1376050	90	-50	106.0
<b>RCMan21-40 (*)</b>	262347	1376050	198	1376050	270	-50	120.0
<b>RCMan21-41 (*)</b>	262225	1376050	182	1376050	90	-50	120.0
<b>RCMan21-42 (*)</b>	262257	1375850	197	1375850	90	-50	100.0
<b>RCMan21-43 (*)</b>	262266	1375900	186	1375900	90	-50	80.0
<b>RCMan21-44</b>	262249	1376425	173	1375900	90	-50	80.0

<b>RCMan21-45</b>	262300	1376425	174	1376425	90	-50	120.0
<b>RCMan21-46 (*)</b>	262250	1376425	181	1376425	90	-50	147.0
<b>RCMan21-47</b>	262500	1376425	173	1376425	270	-50	120.0
<b>RCMan21-48</b>	262350	1376275	185	1376275	90	-50	100.0
<b>RCMan21-49</b>	262301	1376274	178	1376275	90	-50	150.0
<b>RCMan21-50</b>	262250	1376275	183	1376275	90	-50	150.0
<b>RCMan21-51</b>	262350	1376225	181	1376275	90	-50	100.0
<b>RCMan21-52</b>	262300	1376222	219	1376225	90	-50	150.0
<b>RCMan21-53</b>	262250	1376322	182	1376225	90	-50	150.0
<b>RCMan21-54</b>	262225	1376367	180	1376370	90	-50	150.0
<b>RCMan21-55</b>	262574	1376368	177	1376370	270	-50	150.0

(\*) Not Significant Results

### Qualified Person (QP) and NI43-101 Disclosure

Greg Isenor, P. Geo., Director for the Company, is the designated Qualified Person for this news release within the meaning of National Instrument 43-101 (“NI 43-101”) and has reviewed and verified that the technical information contained herein is accurate and approves of the written disclosure of same.

### About Roscan

Roscan Gold Corporation is a Canadian gold exploration company focused on the exploration and acquisition of gold properties in West Africa. The Company has assembled a significant land position of 100%-owned permits in an area of producing gold mines (including B2 Gold’s Fekola Mine which lies in a contiguous property to the west of Kandiole), and major gold deposits, located both north and south of its Kandiole Project in West Mali.

### For further information, please contact:

#### Greg Isenor, P. Geo

Director

Tel: (902) 221-2329

Email: gpisenor@Roscan.ca

### Forward Looking Statements

*This news release contains forward-looking information which is not comprised of historical facts. Forward-looking information is characterized by words such as “plan”, “expect”, “project”, “intend”, “believe”, “anticipate”, “estimate” and other similar words, or statements that certain events or conditions “may” or “will” occur. Forward-looking information involves risks, uncertainties and other factors that could cause actual events, results, and opportunities to differ materially from those expressed or implied by such forward-looking information. Factors that could cause actual results to differ materially from such forward-looking information include, but are not limited to, changes in the state of equity and debt markets, fluctuations in commodity prices, delays in obtaining required regulatory or governmental approvals, and other risks involved in the mineral exploration and development industry, including those risks set out in the Company’s management’s discussion and analysis as filed under the Company’s profile at [www.sedar.com](http://www.sedar.com). Forward-looking information in this news release is based on the opinions and assumptions of management considered reasonable as of the date hereof, including that all necessary governmental and regulatory approvals will be received as and when expected. Although the Company believes that the assumptions and factors used in preparing the forward-looking information in this news release are reasonable, undue reliance should not*

---

*be placed on such information. The Company disclaims any intention or obligation to update or revise any forward-looking information, other than as required by applicable securities laws.*

*Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.*